

Finished Product Certificate Of Analysis			
Aloe Gorgeous - Double Fudge Chocolate	Item Number:		10223
	Total Serving:		20
	Serving Size:		12g
Analytical Review			
Lot#:	A20280003	Manufactured Date:	10/6/2020
Label Version:	10223-L01-20	Expiration Date:	10/2022

Nutritional Information				
Parameter	Specification	Pass/Fail	Method	Reference**
Calories*	Not More Than 60 per serving	Pass	AOAC or equivalent	P7112117
Total Fat*	Not More Than 2.4g per serving	Pass	AOAC or equivalent	P7112117
Saturated Fat*	Not More Than 1.8g per serving	Pass	AOAC or equivalent	P7112117
Total Carbohydrate*	Not Less Than 4.0g per serving	Pass	AOAC or equivalent	P7112117
Total Dietary Fiber*	Not Less Than 0.8g per serving	Pass	AOAC or equivalent	P7112117
Total Sugars*	Not More Than 4.8g per serving	Pass	AOAC or equivalent	P7112117
Sodium*	Not More Than 60mg per serving	Pass	AOAC or equivalent	P7112117
Iron*	Not Less Than 0.8mg per serving	Pass	AOAC or equivalent	P7112117
Protein*	Not Less Than 2.4g per serving	Pass	AOAC or equivalent	P7112117
Vitamin E	Not Less Than 4.5mg per serving	Pass	AOAC or equivalent	P7112117
Vitamin C	Not Less Than 90mg per serving	Pass	AOAC or equivalent	P7112117

Heavy Metals					
Parameter	Specification		Pass/Fail	Method	Reference**
	USP	European Commission			
Arsenic	Not More Than 15.0µg per day	N/A	Pass	ICP-MS/USP	P7112117
Lead	Not More Than 5.0µg per day	Not More Than 3 Parts Per Million	Pass	ICP-MS/USP	P7112117
Cadmium	Not More Than 5.0µg per day	Not More Than 1 Parts Per Million	Pass	ICP-MS/USP	P7112117
Mercury	Not More Than 15.0µg per day	Not More Than 0.1 Parts Per Million	Pass	ICP-MS/USP	P7112117
Microbial Limits					
Parameter	Specification	Pass/Fail	Method	Reference**	
Total Plate Count	Not More Than 100,000 CFU/g	Pass	AOAC, USP or equivalent	P7112117	
Yeast and Mold	Not More Than 10,000 CFU/g	Pass	AOAC, USP or equivalent	P7112117	
Total Coliforms	Not More Than 1,000 CFU/g	Pass	AOAC, USP or equivalent	P7112117	
E.Coli	Negative in 10g	Pass	AOAC, USP or equivalent	P7112117	
Staphylococcus Aureus	Negative in 10g	Pass	AOAC, USP or equivalent	P7112117	
Salmonella	Negative in 10g	Pass	AOAC, USP or equivalent	P7112117	
Others					
Parameter	Specification	Pass/Fail	Method	Reference**	
Pesticides Screen*	Per USDA NOP	Pass	USDA NOP/USP <561>	P7112117	
Residual Solvent*	Per USP	Pass	USP <467>	P7112117	
Gluten Allergen*	Not More Than 20ppm	Pass	ELISA or equivalent	P7112117	
Crustacean Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7112117	
Egg Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7112117	
Fish Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7112117	
Milk Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7112117	

Peanut Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7112117
Soy Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7112117

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State certified and/or ISO accredited third-party laboratories.

Lot Status	Released <input checked="" type="checkbox"/>
	Rejected <input type="checkbox"/>

Quality Dept Approval *Roy Lung*

Date 12/09/2020