

Finished Product Certificate Of Analysis			
Renewable Energy - Beet Pomegranate		Item Number:	10128 (1150)
		Total Serving:	20
		Serving Size:	10g
Analytical Review			
Lot#:	R20167001	Manufactured Date:	6/15/2020
Label Version:	1150-L01-19	Expiration Date:	6/2022

Nutritional Information				
Parameter	Specification	Pass/Fail	Method	Reference**
Caffeine	Not Less Than 85mg per serving	Pass	AOAC or equivalent	P7105551
Calories*	Not More Than 42 per serving	Pass	AOAC or equivalent	P7102516
Total Carbohydrate*	Not Less Than 7.2g per serving	Pass	AOAC or equivalent	P7102516
Total Dietary Fiber*	Not Less Than 0.8g per serving	Pass	AOAC or equivalent	P7102516
Total Sugars*	Not More Than 2.4g per serving	Pass	AOAC or equivalent	P7102516
Sodium*	Not More Than 12mg per serving	Pass	AOAC or equivalent	P7102516
Calcium*	Not Less Than 6.6mg per serving	Pass	AOAC or equivalent	P7102516
Iron*	Not Less Than 0.16mg per serving	Pass	AOAC or equivalent	P7102516

Heavy Metals					
Parameter	Specification		Pass/Fail	Method	Reference**
	USP	European Commission			
Arsenic	Not More Than 15.0µg per day	N/A	Pass	ICP-MS/USP	P7105551
Lead	Not More Than 5.0µg per day	Not More Than 3 Parts Per Million	Pass	ICP-MS/USP	P7105551
Cadmium	Not More Than 5.0µg per day	Not More Than 1 Parts Per Million	Pass	ICP-MS/USP	P7105551
Mercury	Not More Than 15.0µg per day	Not More Than 0.1 Parts Per Million	Pass	ICP-MS/USP	P7105551
Microbial Limits					
Parameter	Specification	Pass/Fail	Method	Reference**	
Total Plate Count	Not More Than 100,000 CFU/g	Pass	AOAC, USP or equivalent	P7105551	
Yeast and Mold	Not More Than 10,000 CFU/g	Pass	AOAC, USP or equivalent	P7105551	
Total Coliforms	Not More Than 1,000 CFU/g	Pass	AOAC, USP or equivalent	P7105551	
E.Coli	Negative in 10g	Pass	AOAC, USP or equivalent	P7105551	
Staphylococcus Aureus	Negative in 10g	Pass	AOAC, USP or equivalent	P7105551	
Salmonella	Negative in 10g	Pass	AOAC, USP or equivalent	P7105551	
Others					
Parameter	Specification	Pass/Fail	Method	Reference**	
Pesticides Screen*	Per USDA NOP	Pass	USDA NOP/USP <561>	P7102516	
Residual Solvent*	Per USP	Pass	USP <467>	P7102516	
Gluten Allergen*	Not More Than 20ppm	Pass	ELISA or equivalent	P7102516	
Crustacean Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7102516	
Egg Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7102516	
Fish Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7102516	
Milk Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7102516	

Peanut Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7102516
Soy Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7102516

Remarks:

* Analysis performed on an annual basis.

**All analyses performed by CA State certified and/or ISO accredited third-party laboratories.

Lot Status	Released <input checked="" type="checkbox"/>
	Rejected <input type="checkbox"/>

Quality Dept Approval *Roy Lung*

Date 07/20/20